



LUDRE TEST MEASUREMENT AND QUALITY CONTROL SOFTWARE

LUDRE YAZILIM

<https://www.ludre.com.tr/>

UPDATE: AUGUST 2022

LUDRE SOURCEMETER

1.FEATURES

- Output : 1 Ch Analog Output
- Resolution: Analog
- Sample Rate: 50k sample/s (Each Channel Simultaneously)
- Speed: 100k.Hz
- Input Range: $\pm 5V$
- Output Range: $\pm 30 V, \pm 3 Amp$
- Dimensions: 15 cm x 11,2 cm x 5,1 cm

2.DESCRPTIONS

- It produces a linear output with voltage or current feedback against the applied reference voltage.

3.APPLICATIONS

- Test automation systems
- Battery test system
- Engine control systems
- Analog torque control systems

DEVICE NAME	MEASUREMNET
Ludre Sourcemeter	LENGHT:15cm
	WIDTH:11,2cm
	HEIGHT:5,1cm





LUDRE TEST MEASUREMENT AND QUALITY CONTROL SOFTWARE

LUDRE YAZILIM

<https://www.ludre.com.tr/>

UPDATE: AUGUST 2022

Contents

<u>1.FEATURES.....</u>	<u>1</u>
<u>2.DESCRPTIONS.....</u>	<u>1</u>
<u>3.APPLICATIONS.....</u>	<u>1</u>
<u>4.DIMENSINONS.....</u>	<u>1</u>
<u>5.TERMINAL INPUT AND FUNCTIONS.....</u>	<u>2</u>



LUDRE TEST MEASUREMENT AND QUALITY CONTROL SOFTWARE

LUDRE YAZILIM

<https://www.ludre.com.tr/>

UPDATE: AUGUST 2022

4. TERMINAL INPUT AND FUNCTION

